

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 11:45 am

PWS ID: UTAH04051 **Name:** ASPEN COVE ASSOCIATION

Legal Contact: ASPEN COVE **Rating:** Approved
KATHY FAIRBANKS **Rating Date:** 07/02/2001

Address: P. O. BOX 520593 **Activity Status:** Active
SALT LAKE CITY, UT 84152

Phone Number: 435-506-0029

City Served (Area):

County: CARBON COUNTY

System Type: Non-community **Last Inv Update:** 05/28/2010 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 08/02/2010 **Total Dsgn Cap:**

Population: 45 **Surveyor:** GARY XANTHOS **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

| Sample Count | Sample Type | Sample Frequency | Effective Begin Date | Effective End Date | Seasonal Start | Seasonal End | Analyte Name |
|--------------|-------------|------------------|----------------------|--------------------|----------------|--------------|----------------|
| 1 | Routine | Quarterly | 10/01/2009 | | 1/1 | 12/31 | COLIFORM (TCR) |

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

| Analyte Name | Sample Count | Sample Type | Sample Frequency | Last Sample | Next Sample Between |
|--|--------------|--------------------|-------------------------|-------------|-----------------------|
| SS942 GROUP SOURCE SAMPLING STATION SS942 | | Activity Status: A | Sample Label: UTAH04051 | SS942 | SS942 |
| SULFATE | 1 | Routine | 3Y | 06/22/2009 | 01/01/2011-12/31/2013 |
| NITRATE | 1 | Routine | Year | 12/08/2010 | 01/01/2011-12/31/2011 |

Sources Grouped for Sampling Compliance

Source Group ID: UTAH SAMPLING STATION SS942

Sources in Group

WS001 ASPEN COVE SO WELL UTAH04051 ASPEN COVE ASSOCIATION

WS002 ASPEN COVE - #4 WELL UTAH04051 ASPEN COVE ASSOCIATION